



CLARKE

BIOMIST® 30+30 ULV

For Application Only By Public Health Officials and Trained Personnel of Mosquito Control Programs. An All Temperature, Quick Knockdown Synthetic Pyrethroid for Control of Adult Mosquitoes in Residential, and Recreational Areas. Against Biting and Non-Biting Midges and Blackflies.

Precautionary Statements

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes moderate eye damage injury. Harmful if swallowed, absorbed through skin or inhaled. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating or smoking. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Remove contaminated clothing and wash before reuse.

FIRST AID

Have product container or label with you when calling a poison control center or doctor, or going for treatment. In case of emergency, call Info-Trac 1-800-535-5053 or the nearest poison control center.

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing the eye. Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN: Product contains a petroleum distillate. Gastric lavage is indicated if material was taken internally. Vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not allow spray treatment to drift on pastureland, cropland, poultry, ranges, or water supplies. Do not contaminate water bodies by pouring or emptying washwaters. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product to allow drift to blooming crops or weeds while bees are actively visiting the treatment areas.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame. Flashpoint minimum of 300° F.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

CONDITIONS and RATES to USE for MOSQUITO CONTROL

Permethrin pounds/acre	Application Rates			Fl. oz. Biomist® 30+30 per acre
	Fl. oz./Min.	10MPH	15MPH	
0.0185	3.0	6.0	9.0	1.0
0.0092	1.5	3.0	4.5	0.5
0.0031	0.5	1.0	1.5	0.16

ACTIVE INGREDIENTS:

Permethrin (3-Phenoxyphenyl)methyl (±) cis, trans-3-(2,2-dichloroethenyl)-2,2-dimethyl-cyclopropanecarboxylate	30.00%
Piperonyl Butoxide, Technical Equivalent to 80% (butylcarbityl) (6-propylpiperonyl) ether and 20% related compounds	30.00%
INERT INGREDIENTS	40.00%
	100.00%

Contains 2.52 pounds of Permethrin and 2.52 pounds of Piperonyl Butoxide per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

MANUFACTURED BY

CLARKE MOSQUITO CONTROL PRODUCTS, INC.

159 N. GARDEN AVENUE
ROSELLE, ILLINOIS 60172

E.P.A. EST. No. 83291L01
EPA Reg. No. 8329-42

NET CONTENTS **55 GALS.**

LOT NO. _____

NOTICE: Seller makes no warranty, expressed or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when use and/or handling is contrary to label instructions.

BIOMIST® 30+30 ULV is recommended for application as an ultra low volume (ULV) nonthermal aerosol (cold fog) to control adult mosquitoes in residential and recreational areas where these insects are a problem, such as but not limited to parks, campsites, woodlands, athletic fields, golf courses, residential areas and municipalities, gardens, playgrounds, recreational areas and overgrown waste areas. Do not apply this product within 100 feet (30 Meters) of lakes and streams. Do not allow spray treatment to drift on pastureland, cropland, poultry ranges, or water supplies. For best results treat when mosquitoes are most active and weather conditions are conducive to keeping the fog close to the ground, e.g. cool temperatures and wind speed not greater than 10 mph. Applications during the cool hours of the night or early morning is usually preferable. Repeat treatment as needed.

ULV, Nonthermal Aerosol (Cold Fog) Application: To control Mosquitoes, Midges and Blackflies, apply BIOMIST® 30+30 ULV using any standard ULV ground applicator capable of producing a nonthermal aerosol spray with droplets ranging in size from 5 to 30 microns and a mass median diameter (MMAD) of 10 to 20 microns. Apply the product undiluted at a flow rate of 1.0 to 6.00 fluid ounces per minute at an average vehicle speed of 10 mph. If a different vehicle speed is used, adjust rate accordingly. These rates are equivalent to 0.0031 to 0.0185 pounds of Permethrin and 0.0031 to 0.0185 pounds of Piperonyl Butoxide per acre. Vary flow rate according to vegetation density and mosquito population. Use higher flow rate in heavy vegetation or proper flow rate. Biomist® 30+30 ULV may also be applied by diluting with a suitable solvent such as mineral oil and applying so as not to exceed the maximum pounds of active ingredient per acre as shown in the first column of the previous table. The following charts represent some suggested dilution and application rates for ground ULV applications. If an alternate dilution rate is used, adjust flow rate accordingly.

FOR A 1:2 BIOMIST® 30+30 ULV/SOLVENT DILUTION RATIO
Mix one (1) part Biomist® 30+30 with two (2) parts solvent and apply at the following rates:

Permethrin pounds/acre	Application Rates			Fl. oz. finished spray per acre
	5MPH	10MPH	15MPH	
0.007	3.0	6.0	9.0	1.0
0.0035	1.5	3.0	4.5	0.5
0.00175	0.75	1.5	2.25	0.25

FOR A 1:4 BIOMIST® 30+30 ULV/SOLVENT DILUTION RATIO
Mix one (1) part Biomist® 30+30 with four (4) parts solvent and apply at the following rates:

Permethrin pounds/acre	Application Rates			Fl. oz. finished spray per acre
	5MPH	10MPH	15MPH	
0.0062	5.0	10.0	15.0	1.6
0.0031	2.5	5.0	7.5	0.8
0.0015	1.25	2.5	3.5	0.4

FOR A 1:8 BIOMIST® 30+30 ULV/SOLVENT DILUTION RATIO
Mix one (1) part Biomist® 30+30 with eight (8) parts solvent and apply at the following rates:

Permethrin pounds/acre	Application Rates			Fl. oz. finished spray per acre
	5MPH	10MPH	15MPH	
0.0062	9.0	18.0	27.0	3.0
0.0031	4.5	9.0	13.5	1.5
0.0015	2.25	4.5	6.75	0.75

quito Abatement Districts and 1, Low Odor, Non-Corrosive, reational Areas. Also For Use

For proper application, mount the fog applicator so that the nozzle is at least 4 1/2 feet above ground level and directed out the back of the vehicle. Failure to follow the above directions may result in reduced effectiveness. Aerial applications should be done by suitable aerial U.L.V. equipment capable of producing droplets with an MMD of 50 microns or less with no more than 2.5% exceeding 100 microns. Flow rate and swath width should be set so as to achieve .33 to 1.0 fluid ounces of Biomist® 30+30 ULV per acre. Biomist® 30+30 ULV may also be diluted with a suitable solvent such as mineral oil and applied by aerial ULV equipment so long as 1.0 fluid ounces per acre of Biomist® 30+30 ULV is not exceeded. Both aerial and ground applications should be made when wind is less than 10 MPH.

IN FLORIDA: Do not apply by aircraft except in emergency situations and with the approval of the Florida Department of Consumer Services.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

CONTAINERS ONE GALLON AND SMALLER: Do not reuse container. Wrap containers in several layers of newspaper and discard in trash.

CONTAINERS LARGER THAN ONE GALLON: Metal Containers—Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic Containers—Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. Then dispose of in a sanitary landfill or by other approved state and local procedures.

IN CASE OF EMERGENCY, CALL INFO TRAC 1-800-535-5053

FOR MORE INFORMATION CALL:

1-800-323-5727 (OUTSIDE ILLINOIS)

1-800-942-2555 (INSIDE ILLINOIS)